Televes



Televes reserves the right to modify the product

HDMI+IR DigiDom Wireless Transmission 5GHz

The system consists of a transmitter and a receiver that allows for the transport of an A/V signal (Usually TV, DVD, etc.) from the room where the source is to a second screen somewhere else. The integration of infrared (IR) transmission also allows for the remote control of the source from the second room.

Besides transmitter and receiver (with feeder), the kit includes IR extension and wall support.

Ref.716701

Art.Nr

EAN13

8424450201336

Highlights

- Transmission on the WiFi 5GHz band
- Quick and easy solution to install to access contents (satellite set top box, DVD player, CCTV camera, etc) any where around the house, with no need to install new cables
- Ideal for instances where it is not possible to run coaxial cable to the TV
- The loop-through feature allows you to watch the signal on both rooms simultaneously
- Low power consumption

Main features

- Wireless Transmission of HDMI up to 1080p
- Wireless Transmission of 3D HDTV
- HDMI pass.throug output for simultaneous local viewing.
- Room to room HD Wireless Transmission
- Range up to 30 meters
- 30 ~ 60KHz IR

Televes°

Application example

(Click to see the picture)



Televes®

Technical specifications

НДМІ			HDMI High Speed		
Resolution			HD 1080p/60Hz		
Frequency Range			WiFi 5GHz band		
Channel Bandwidth		MHz	20 or 40		
RF output power		dBm	10 ± 1		
Security			HDCP 2.0 based encryption		
Distance		m	≤30 (no walls)		
Latency		seg	<0,5		
Antenna Type			Dual PCB		
Data Rate	Video	Gbps	≤3		
	Audio	Mbps	≤18		
Supply voltage		V	5	5	
		А	1	1	
IR Carrier		KHz	30 ~ 60		