## **Televes**®



Televes reserves the right to modify the product

# Hotspot Server Gateway 4xGbE

This Hotspot Gateway manages the Internet access, usually via Wi-Fi, of any type of business that needs to control the access to Internet through their network. It features 4 GbE ports.

The system allows an easy and safe access to Internet using any type of connected device like: tablets, mobile phones or computers. The Gateway can also be used to define user profiles that can be used to limit the allocated broadband bandwidth.

Besides, the captive portal can be completely tailored to reflect the corporate image of the client.

#### Ref.769112

Art.Nr RDATAHS4
EAN13 8424450228432

### **Highlights**

- Versatility:
  - o Integration with various systems, including Radius
  - It allows a comprehensive control over the guest's network with traffic logging, user profiles and third-party authentication (Radius, Active Directory and others)
- It includes logger to comply with legal requirements by tracing the activity in your network


#### Main features

- 4x 1GbE interfaces included
- User friendly interface
- The equipment is provided with an embedded Power Supply, as well as a connector that allows connecting an auxiliary Power Supply

# **Televes**

### **Application example**

(Click to see the picture)



# **Televes**®

### **Technical specifications**

CPU number of cores		4
CPU speed	GHz	1.99
RAM	GB	2
Input voltage	Vac	100 240
Mains frequency		50 Hz / 60 Hz
Output voltage	Vdc	12
Max. output current	A	5
Number of Gigabit Ethernet ports (10/100/1000BaseT)		4
Number of USB ports		2
Display port		VGA
os		FreeBSD
Operating temperature	°C	-5 45
Colour		Black