



Televes reserves the right to modify the product

19"-Rack Cabinet 37RU

The 37RU rack Cabinet is used for the housing of active or passive equipment, visible from the outside and protected by a safe steel lockable structure. Compatible with optical fibre, data cables or coaxial cable installations, it allows the grouping of different technologies in a single cabinet. It is suitable for GPON headends installation, where the infrastructure requires greater depth. Designed for ground mounting.

Dimensions (W x H x D): 600mm x 1790mm x 800mm
Weight: 86kg

Ref.533139	Assembled	
	Art.Nr	MSR1937-68
	EAN13	8424450237359

Highlights

- High strength and durability: made of steel, with a coating based on polyester resins and lead-free pigments
- Loading capacity up to 1000kg
- Up to 800mm depth, allowing the installation of GPON headends
- Extremely easy installation and use: reversible and removable front door with flexible sockets and hinged folding side doors
- Installation of different types of panels or equipment: lateral profiles are depth-adjustable
- Safety: Tempered glass, lockable hinged front door
- Natural ventilation, with forced ventilation option
- Laser marking: numerical identification of each "RU"

Main features

- Black colour (RAL 9004)
- Upper and bottom adjustable covers for cabling
- Indoor installation (IP20)
- Includes 4 fixed screw-on legs for wall mounting

- A 120x120mm ventilation kit can be incorporated for the installation of active equipment, such as headends

Technical specifications

Modular spacing (standard)	in	19
Height	in	70.472
Width	in	23.622
Depth	in	31.496
Number of rack units (HE)		37
Rack material		Steel
Colour		Black
Surface finishing		Electrostatic powder
Number of doors		2
Rear door		Yes
Rear door material		Steel
Door locking system		Key Lock
Max. load capacity	kg	1000
Removable sides		Yes
Grounding		Yes