



Televes reserves the right to modify the product

"F" Power Supply Units (UL certified) 12 V - 220 mA, 2 outputs

Domestic 12 V-power supply (220 mA) that powers equipment through the input coaxial cable while allowing the transmission of the TV signal. Included in the installation to power either mast amplifiers or a BOSS system. Furthermore, it is equipped with two outputs.

The power supply is UL certified (US plug).

Ref.550104

Art.Nr

EAN13

8424450155219

Highlights


- High-performance switched-mode power supply: saves up to 40% power consumption
- Low-impact visual design and limited size
- "F" connectors
- Fully automated manufacturing, subject to the most stringent quality controls

Main features

- Can be wall-mounted using screws
- Through losses may vary depending on whether 1 or 2 outputs are used

Application example

(Click to see the picture)



Technical specifications

Plug type		US
Number of outputs		2
Frequency range	MHz	5 ... 862
Insertion losses: 1 output	dB	1.5
Insertion losses: 2 outputs	dB	4
Output voltage	Vdc	12
Max. output current	A	220
Input voltage	Vac	108 ... 132
Mains frequency		50 Hz / 60 Hz
Max. current	mA	65
Max. power consumption	W	3.6
Operating temperature	°F	14 ... 113
Protection index		20